



element14

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[02851H010](#)

EN

This Datasheet is presented by
the manufacturer

DE

Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR

Cette fiche technique est
présentée par le fabricant

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 04.09.2013

Revision: 04.09.2013

1 . IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: BAKERS NO.3 250mL

Recommended Use of the Chemical and Restriction on Use: Soldering fluid

Details of Manufacturer or Importer:

Element 14 Pty Ltd
72 Ferndell Street
Chester Hill NSW 2162

Phone Number: 02 9644 7722

Emergency telephone number: 13 11 26

2 . HAZARDS IDENTIFICATION

Hazardous Nature:



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.
STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

Label Elements

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P273 Avoid release to the environment.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.
P321 Specific treatment (see on this label).

(Contd. on page 2)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 04.09.2013

Revision: 04.09.2013

Product Name: BAKERS NO.3 250mL

(Contd. of page 1)






P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P363	Wash contaminated clothing before reuse.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P330	Rinse mouth.
P391	Collect spillage.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 . COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

7646-85-7	zinc chloride  Skin Corr. 1B, H314;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Acute Tox. 4, H302	10-<25%
12125-02-9	ammonium chloride  Acute Tox. 4, H302;  Eye Irrit. 2, H319	1-<3%

4 . FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical attention.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek immediate medical attention.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention.

Ingestion:

Drink plenty of water and provide fresh air. Call for a doctor immediately. If swallowed, do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

Information for Doctor

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Symptoms Caused by Exposure:

Eye: Symptoms may include pain, watering and redness.

Skin: Symptoms may include pain, irritation, redness and blistering.

Ingestion: Stomach pain

5 . FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 04.09.2013

Revision: 04.09.2013

Product Name: BAKERS NO.3 250mL

(Contd. of page 2)

Specific Hazards Arising from the Chemical:

Decomposition products may include nitrogen oxides, halogenated compounds and metal oxides. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

Wear Safe Work Australia approved self-contained breathing apparatus and full protective clothing.

6 . ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear Safe Work Australia approved self-contained breathing apparatus and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Do not touch or walk through spilled material.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Contaminated absorbent material may pose the same hazard as the spilled product. Collect the spilled material and place into a suitable container for disposal.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in original container in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Keep away from alkalis and metals. Empty containers retain product residue and can be hazardous. Do not reuse container.

8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards (Safe Work Australia):**7646-85-7 zinc chloride**

NES	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
-----	---

12125-02-9 ammonium chloride

NES	Short-term value: 20 mg/m ³ Long-term value: 10 mg/m ³
-----	---

Engineering Controls:

Provide process enclosures, local exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Personal Protective Equipment (PPE):**Respiratory Protection:**

Use a Safe Australia approved properly fitted, air-purifying or air-fed respirator with inorganic vapours filter. See Australian Standards AS/NZS 1715 and 1716 for more information.

(Contd. on page 4)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 04.09.2013

Revision: 04.09.2013

Product Name: BAKERS NO.3 250mL

(Contd. of page 3)

Skin Protection:

Chemical resistant, impervious gloves, protective clothing and safety boots. See Australian Standards AS/NZS 2161, 2210.1 and 2210.2 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian Standards AS/NZS 1336 and 1337 for more information.

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form:	Fluid
Colour:	Colourless
Odour:	Characteristic
Odour Threshold:	No information available
pH-Value:	<2
Melting point/Melting range:	No information available
Initial Boiling Point/Boiling Range:	100 °C
Flash Point:	Not applicable.
Flammability:	Not applicable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density at 20 °C:	1.225 g/cm ³
Vapour Density:	Not determined.
Evaporation Rate:	No information available
Solubility in Water:	Completely soluble
VOC:	0 % (ISO % 11890-2)

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials:

Alkalis and metals. Contact with metals may generate extremely flammable hydrogen gas which can form explosive mixtures with air.

Hazardous Decomposition Products:

Decomposition products may include nitrogen oxides, halogenated compounds and metal oxides.

11 . TOXICOLOGICAL INFORMATION

Toxicity:**LD₅₀/LC₅₀ Values Relevant for Classification:****7646-85-7 zinc chloride**

Oral	LD ₅₀	350 mg/kg (rat)
------	------------------	-----------------

12125-02-9 ammonium chloride

Oral	LD ₅₀	1650 mg/kg (rat)
------	------------------	------------------

(Contd. on page 5)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 04.09.2013

Revision: 04.09.2013

Product Name: BAKERS NO.3 250mL

(Contd. of page 4)

Acute Health Effects**Inhalation:**

May cause respiratory irritation. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Skin: Corrosive to the skin. Causes burns.

Eye: Corrosive to eyes. Causes burns.

Ingestion: Harmful if swallowed. May cause burns to mouth, throat and stomach.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: No sensitising effects known.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause drowsiness and dizziness.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

12 . ECOLOGICAL INFORMATION

Ecotoxicity:

Aquatic toxicity:

Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Persistence and Degradability: No information available

Bioaccumulative Potential: No information available

Mobility in Soil: No information available

13 . DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 . TRANSPORT INFORMATION

UN Number

ADG, IMDG, IATA

1760

Proper Shipping Name

ADG, IATA

IMDG

CORROSIVE LIQUID, N.O.S. (zinc chloride)

CORROSIVE LIQUID, N.O.S. (zinc chloride), MARINE

POLLUTANT (zinc chloride, ammonium chloride)

Dangerous Goods Class

ADG Class:

8 (C1) Corrosive substances.

(Contd. on page 6)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 04.09.2013

Revision: 04.09.2013

Product Name: BAKERS NO.3 250mL

(Contd. of page 5)

IMDG Class:	8 Corrosive substances.
Packing Group: ADG, IMDG, IATA	III
Marine pollutant:	Yes Symbol (fish and tree)
EMS Number:	F-A,S-B
Hazchem Code:	2X
Special Provisions:	223, 274
Limited Quantities:	5L
Packagings & IBCs - Packing Instruction:	P001, IBC03, LP01
Packagings & IBCs - Special Packing Provisions:	Not applicable
Portable Tanks & Bulk Containers - Instructions:	T7
Portable Tanks & Bulk Containers - Special Provisions:	TP1, TP28

15 . REGULATORY INFORMATION

Australian Inventory of Chemical Substances:

7646-85-7	zinc chloride
12125-02-9	ammonium chloride

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:
Poisons Schedule: 6

16 . OTHER INFORMATION

Creation Date: 04.09.2013**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 IARC: International Agency for Research on Cancer
 STEL: Short Term Exposure Limit
 TWA: Time Weighted Average
 NES: National Exposure Standard

Disclaimer

This MSDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Element 14 Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.



element14

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[02851H010](#)

EN

This Datasheet is presented by
the manufacturer

DE

Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR

Cette fiche technique est
présentée par le fabricant