# **SAFETY DATA SHEET**



Revision Date 11-Apr-2016

Version 1

## 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Product name Z\*SPAR Splash Zone A-788 - 2-Part Epoxy Compound - Part A

Product code 8478800

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use 2-Part Epoxy Copmpound Restrictions on use No information available

### 1.3 Details of the supplier of the safety data sheet

Supplier Kop-Coat, Inc. / Pettit Marine Paint

Marine Group 36 Pine Street Rockaway, NJ 07866 1-800-221-4466

### 1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

## 2. Hazards identification

## 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

## 2.2 Label elements

### **Signal Word**

Danger

### **Hazard Statements**

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

May cause cancer

Causes damage to organs through prolonged or repeated exposure





#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

## **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## 2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

## 2.4 Other information

Not Applicable

**Unknown Acute Toxicity** 

< 1% of the mixture consists of ingredient(s) of unknown toxicity

## 3. Composition/Information on Ingredients

#### Substance

This product is a mixture. Health hazard information is based on its components.

#### <u>Mixture</u>

Chemical Name	CAS-No	Weight %
reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	25068-38-6	40 - 50
Crystalline silica (quartz)	14808-60-7	20 - 30

Talc	14807-96-6	10 - 20
MAGNESITE	546-93-0	10 - 20

The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First aid measures

### 4.1 Description of first-aid measures

General advice Show this safety data sheet to the doctor in attendance. When symptoms persist or in all

cases of doubt seek medical advice.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Call a physician or poison control center

immediately.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated

clothing and shoes. Wash contaminated clothing before reuse. Call a poison control center

or doctor for treatment advice.

**Inhalation** Move victim to fresh air. Call a physician or poison control center immediately. Apply

artificial respiration if victim is not breathing.

**Ingestion** Gently wipe or rinse the inside of the mouth with water. Call a physician or poison control

center immediately. If swallowed, DO NOT induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician There is no specific antidote for effects from overexposure to this material. Treat

symptomatically.

## 5. Fire-Fighting Measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, fog, Carbon dioxide (CO<sub>2</sub>), foam or dry chemical. Water may be used to cool and prevent the rupture of containers that are exposed to the heat from a fire.

Unsuitable Extinguishing Media None known based on information supplied.

## 5.2 Special hazards arising from the substance or mixture

## **Special Hazard**

Thermal decomposition can lead to release of irritating gases and vapors

**Hazardous Combustion Products** Possible formation of carbon oxides, nitrogen oxides, and hazardous organic compounds.

#### **Explosion Data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### 5.3 Advice for firefighters

Evacuate personnel to safe areas. Thoroughly decontaminate all protective equipment after use. Use water spray to cool fire-exposed containers. Move non-burning material, as feasible, to a safe location as soon as possible. As in any fire, wear self-contained breathing apparatus and full protective gear.

### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill. Stop leak if you can do it without risk. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8. Avoid exceeding of the given occupational exposure limits (see section 8).

#### 6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological information.

### 6.3 Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up**Clean contaminated surface thoroughly. Pick up and transfer to properly labeled containers.

Soak up with inert absorbent material.

## 7. Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety

practice. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Use according to package label instructions. Empty containers may retain product residue or vapor. Avoid contact with skin, eyes and clothing. Wash thoroughly after

handling.

**Hygiene measures**Do not eat, drink or smoke when using this product. Handle in accordance with good

industrial hygiene and safety practice. Wash hands before breaks and immediately after

handling the product. Remove and wash contaminated clothing before re-use.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled

containers. Keep away from food, drink and animal feedingstuffs. Keep from freezing.

Materials to Avoid No materials to be especially mentioned.

## 8. Exposure controls/personal protection

#### 8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Crystalline silica	TWA: 0.025 mg/m <sup>3</sup>	: (30)/(%SiO2 + 2)	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.10 mg/m <sup>3</sup>
(quartz)	respirable fraction	mg/m3 TWA total				
14808-60-7		dust				
		: (250)/(%SiO2 +				
		5) mppcf TWA				
		respirable fraction				
		: (10)/(%SiO2 + 2)				
		mg/m³ TWA				
		respirable fraction				
Talc	TWA: 2 mg/m <sup>3</sup>	TWA: 20 mppcf if	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
14807-96-6	particulate matter	1% Quartz or more,	_			
	containing no	use Quartz limit				
	asbestos and <1%					

Part A

	crystalline silica, respirable fraction				
MAGNESITE 546-93-0	-	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>

#### 8.2 Appropriate engineering controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas. Where reasonably practicable

this should be achieved by the use of local exhaust ventilation and good general extraction.

#### 8.3 Individual protection measures, such as personal protective equipment

Safety glasses with side-shields. **Eye/Face Protection** 

Remove and wash contaminated clothing before re-use. Wear protective gloves/protective Skin and body protection

clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn.

See section 7 for more information Hygiene measures

## 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Solid Physical state **Appearance** Paste Color Yellow Odor Odorless

**Odor Threshold** No information available

Property Values Remarks • Methods

Not Applicable

No information available Melting/freezing point Boiling point/boiling range No information available

> 204 °C / > 399 °F Not Applicable

Flash Point

**Evaporation rate** No information available

Flammability (solid, gas) No information available

Flammability Limits in Air

upper flammability limit No information available lower flammability limit No information available

Vapor pressure No information available Vapor density No information available **Specific Gravity** No information available Water solubility No information available No information available Solubility in other solvents

No information available **Partition coefficient** No information available **Autoignition temperature Decomposition temperature** No information available

Viscosity, kinematic > 22 mm2/s

No information available Viscosity, dynamic

No information available **Explosive properties Oxidizing Properties** No information available

9.2 Other information

Volatile organic compounds (VOC) 0 g/L

content

14.48 lb/gal Density

## 10. Stability and Reactivity

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

## 10.2 Chemical stability

Stable under normal conditions

#### 10.3 Possibility of hazardous reactions

None under normal processing.

## 10.4 Conditions to Avoid

No information available.

#### 10.5 Incompatible Materials

No materials to be especially mentioned.

### 10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

## 11. Toxicological information

#### 11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity < 1% of the mixture consists of ingredient(s) of unknown toxicity

**Oral LD50** 26,087.00 mg/kg

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) 25068-38-6	11400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

#### 11.2 Information on toxicological effects

### Skin corrosion/irritation

**Product Information** 

- · May cause irritation
- Component Information
- No information available

## Serious eye damage/eye irritation

Product Information

- Dust contact with the eyes can lead to mechanical irritation
- Component Information
- No information available

Part A

### Respiratory or skin sensitization

Product Information

• No information available

Component Information

· No information available

### Germ cell mutagenicity

Product Information

· No information available

Component Information

• No information available

### Carcinogenicity

Product Information

• The table below indicates whether each agency has listed any ingredient as a carcinogen

Component Information

· Contains a known or suspected carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica (quartz) 14808-60-7	A2	Group 1	Known	

#### Reproductive toxicity

**Product Information** 

- · No information available
- Component Information
- No information available

### STOT - single exposure

Inhalation of dust may irritate nose, throat and/or lungs.

## STOT - repeated exposure

· No information available

#### Other adverse effects

**Product Information** 

- · No information available
- Component Information
- · No information available

#### **Aspiration hazard**

Product Information

No information available

Component Information

· No information available

## 12. Ecological information

#### 12.1 Toxicity

No information available **Ecotoxicity** 

20.26 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

**Ecotoxicity effects** 

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Talc	-	LC50: 96 h Brachydanio rerio 100	-
14807-96-6		g/L semi-static	

## 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

Discharge into the environment must be avoided

## 12.4 Mobility in soil

No information available.

#### 12.5 Other adverse effects

Discharge into the environment must be avoided

## 13. Disposal Considerations

#### 13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## 14. Transport Information

**DOT** Not regulated

MEX no data available

IMDG Not regulated

IATA Not regulated

## 15. Regulatory information

#### 15.1 International Inventories

TSCA Complies
DSL Complies
EINECS/ELINCS Complies

ENCS -

IECSCCompliesKECLCompliesPICCSCompliesAICS-

NZIoC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

### 15.2 U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### 15.3 Pesticide Information

Not applicable

## 15.4 U.S. State Regulations

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Crystalline silica (quartz) - 14808-60-7	Carcinogen

## 16. Other information

NFPA Health Hazard 1 Flammability 1 Instability 1 Physical and chemical hazards -

HMIS Health Hazard 1\* Flammability 1 Physical Hazard 1 Personal protection X

#### Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S\*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date 11-Apr-2016 Revision Note

No information available

### **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**