

## SOP-NAUT-004 Confined Space Entry

- 1.0 [Introduction](#)**
- 2.0 [Definitions](#)**
- 3.0 [References](#)**
- 4.0 [Confined Space Register](#)**
  - 4.1 [Entry in Facilities](#)**
  - 4.2 [Emergency Entry Procedures](#)**
- 5.0 [Training and Drills](#)**

### 1.0 Introduction

This SOP is a supplement to the general confined space entry SOP.

### 2.0 Definitions

Confined spaces are potentially dangerous areas to work in due to associated hazards such as limited space for maneuvering, restricted entry/ exit, oxygen limited atmosphere or hazardous atmosphere. The OSHA definitions for confined space and permit required confined space are listed below.

**Confined spaces** are typically defined by meeting all of the following criteria:

- An area large enough for someone to bodily enter the space to perform work.
- An area that has limited or restricted means for entry or exit. Openings can be considered to limit entry or exit by either being small in size or difficult to access.
- The space is not designed for continuous employee occupancy. The space may be designed to only store products, enclose materials, equipment and processes. These types of spaces only require occasional employee entry for inspections, maintenance, or repair.

A **Permit-required confined space** has one or more of the following characteristics:

- Contains or has potential to contain a hazardous atmosphere;
- Contains material with the potential to engulf someone who enters the space;

<b>Title of Document:</b>	Safety Management Manual	<b>Document Number:</b>	SOP-NAUT-004
<b>Authority:</b>	Operations Director	<b>Revision:</b>	5a
<b>Custodian/Owner:</b>	Designated Person Ashore	<b>Issue Date:</b>	Nov 2025
<b>NOT-CONTROLLED IF PRINTED</b>			Page 1 of 5

- Has an internal configuration that might cause an entrant to be trapped or asphyxiated by inwardly converging walls or by a downward sloping floor that tapers to a small cross section; and/ or
- Contains any other recognized serious safety or health hazards.

### 3.0 References

IMO Resolution A. 1050(27) 2.1 states that an **Enclosed Space** has one or more of the following characteristics:

- has limited openings for entry and exit
- has inadequate ventilation
- and is not designed for continuous worker occupation.

The **Authorized Person** signing the permit is the TDI-Brooks management representative responsible for ensuring that the permitting process and associated safety procedures to be followed meet or exceed the TDI-Brooks requirements.

- At sea, the authorized person is both the Master and the Chief Engineer (both must sign off on the permit).
- In shipyards, at the dock or in the absence of a Chief Engineer or bridge officer, the Authorized Person is the Port Engineer

### 4.0 Confined Spaces Register

A HAZID has been conducted and confirmed the following are the only confined spaces on this vessel. The entrances to these spaces shall be clearly marked with signage or painted to indicate **“Confined Space- No Entry”**.

<b>Title of Document:</b>	Safety Management Manual	<b>Document Number:</b>	SOP-NAUT-004
<b>Authority:</b>	Operations Director	<b>Revision:</b>	5a
<b>Custodian/Owner:</b>	Designated Person Ashore	<b>Issue Date:</b>	Nov 2025
<b>NOT-CONTROLLED IF PRINTED</b>			Page 2 of 5

## Confined Spaces Register - Nautilus

SPACE	CATEGORY 1
Fuel Oil Tank #1 Port	1
Fuel Oil Tank #1 STBD	1
Fuel Oil Tank #1 Center	1
Fuel Oil Tank #2 Port	1
Fuel Oil Tank #2 STBD	1
Fuel Oil Tank #3 Port	1
Fuel Oil Tank #3 STBD	1
Fuel Oil Tank #3 Center	1
Fuel Oil Tank #4 Port	1
Fuel Oil Tank #4 STBD	1
Fuel Oil Tank #5 Port	1
Fuel Oil Tank #5 STBD	1
Fuel Oil Day Tank Port	1
Fuel Oil Day Tank STBD	1
Lube Oil Tank Port	1
Hydraulic Oil Port	1
Hydraulic Oil STBD	1
Lube Oil Tank STBD	1
Dirty Oil Tank	1
Bilge Holding Tank	1
Hydraulic Tank STBD	1
Hydraulic Tank PORT	1
SPACE	CATEGORY 2
Chain Locker Port	2
Chain Locker STBD	2

**NO ENTRY  
except in an  
emergency**

<b>Title of Document:</b>	Safety Management Manual	<b>Document Number:</b>	SOP-NAUT-004
<b>Authority:</b>	Operations Director	<b>Revision:</b>	5a
<b>Custodian/Owner:</b>	Designated Person Ashore	<b>Issue Date:</b>	Nov 2025
<b>NOT-CONTROLLED IF PRINTED</b>			Page 3 of 5

Drill Water Tank #1 Port	2	<b>PERMIT REQUIRED for entry</b>
Drill Water Tank #1 STBD	2	
Drill Water Tank #2 Center	2	
Ballast Aft Peak Port	2	
Ballast Aft Peak STBD	2	
Ballast Aft Peak Center	2	
Anti-Roll Tank Center	2	
Potable Water Tank Port	2	
Potable Water Tank STBD	2	
Potable Water Tank Center	2	
Sewage Tank	2	

#### 4.1 Entry at Shipyard, Dockside or Repair Facilities

Once an area identified as a confined space area is designated for possible entry, then the potential hazards associated with that space must be identified. Confined space hazards may be categorized as oxygen deficient atmospheres, flammable atmospheres, toxic atmospheres and mechanical/ physical hazards.

For this reason, any person with a potential need to enter a confined space under permit issued conditions must be trained in recognizing these hazards. At a minimum, they must have completed the Confined Space Training course on the Computer Based Training. All relevant TDI-Brooks employees, i.e. ship's crew and survey party are required to complete this training.

Entries into permit required confined spaces in a shipyard or repair facility will be done under the control and authority of **The Contractor/ Facility's** safety program consistent with the requirements of 29 CFR 1915.

Before anyone may enter a permit required confined space, a certified Marine Chemist or equivalently authorized person from the repair facility must have tested the atmosphere and posted a certificate at the outside of the space stating it is safe for entry. All entrants will inspect the certificate before entering to ensure it is still current and valid. Actual entrants will be limited to only those who meet the requirements of 29 CFR 1915.12 (d) and (e).

<b>Title of Document:</b>	Safety Management Manual	<b>Document Number:</b>	SOP-NAUT-004
<b>Authority:</b>	Operations Director	<b>Revision:</b>	5a
<b>Custodian/Owner:</b>	Designated Person Ashore	<b>Issue Date:</b>	Nov 2025
<b>NOT-CONTROLLED IF PRINTED</b>			Page 4 of 5

## 4.2 Emergency Entry Procedure

Emergency entry must follow the requirements of 46 CFR 148.86 (b) and requires four people trained in confined space entry to fill the following roles:

**Supervisor**- A Responsible Person must supervise the entry and maintain communications with the bridge.

The **Entrant** must:

- be trained in the use of an SCBA
- wear an SCBA and a wire rope lifeline attached to him/ her
- wear appropriate protective clothing and other applicable PPE.

The **Attendant/ Line Tender** must:

- remain outside the confined space to monitor the entrant
- have agreed on some means of communication with the entrant.

The **Standby Rescuer** must:

- remain outside the confined space with full SCBA gear and wire rope lifeline on and ready to enter the space to assist the entrant.

## 5.0 Training and Drills

All persons participating in emergency confined space entry or rescue drills must have completed the computer based training course as a general familiarization of the hazards of confined space.

The drill scenarios serve as additional training, since this is where we can learn the most about potential complications.

In these drills, all the steps of the process – from planning the emergency scenario to setting up rescue equipment to wearing the appropriate PPE, retractable lifelines and SCBA gear – will be followed **up to the point of entry without actually entering the space.**

<b>Title of Document:</b>	Safety Management Manual	<b>Document Number:</b>	SOP-NAUT-004
<b>Authority:</b>	Operations Director	<b>Revision:</b>	5a
<b>Custodian/Owner:</b>	Designated Person Ashore	<b>Issue Date:</b>	Nov 2025
<b>NOT-CONTROLLED IF PRINTED</b>			Page 5 of 5